Waste not, warm not

Exploring opportunities for decarbonization in waste management

Regnan thematic investment insights

January 2022



Brought to you by J O Hambro Capital Management

In-brief

Waste management is a cornerstone of sustainable development with a multiplier effect on public health, safety and environmental outcomes. But it's also perceived as being a dirty business; and is often thought of as having a high carbon footprint.

In this report, Regnan's experts in water and waste and climate change provide answers to the questions:

- 1. Where do greenhouse gas emissions arise along the waste management life cycle?
- 2. How are these emissions being managed?
- 3. What are the best ideas emerging in the sector to decarbonize waste management?
- 4. What can investors do to encourage low carbon transition?

Co-authored by:



Bertrand Lecourt Senior Fund Manager



Saurabh Sharma Fund Manager



Alison George Head of Research



Osh Siyaguna Senior ESG Analyst

Report highlights

Increasing focus on greenhouse gas emissions (GHG) in the waste management value chain presents many options for decarbonization in the sector.

Waste collection is an important enabler of reuse, recycling, and composting – key ways waste emissions can be reduced. Fuel efficiency, use of alternative fuels and electric vehicles present options for decarbonization.

Ambitious targets are evident among the sector leaders to increase electrification and efficiency.

 For example, Biffa¹ plans to cease purchase of new fossil fuel vehicles by 2030 and to have no fossil fuel vehicles by 2040.

In landfill sites emissions depend on how the site is operated. State of the art processes and technologies can capture up to 90% of emissions and use captured landfill gas to produce renewable energy.

The US EPA's calculator states a 5 MW project would save ~225,900 metric tonnes of carbon dioxide equivalent emissions (CO_2-e) per year - equivalent to carbon sequestered by ~1,325 km² of US forests in a year.

Many waste management companies have extensive reuse and recycling programs in addition to landfilling operations:

 For example, Waste Management Inc's comprehensive recycling program makes the company the largest post-consumer recycling company in North America.

There are interdependencies between waste management life cycle stages such that activities with low direct emissions rely on high emissions activities elsewhere in the value chain.

While divestment can shift high emissions activities out of portfolios, it does nothing to reduce the real-world impact of waste management.

That's why we see engagement with waste management companies as the best way for investors to contribute to waste decarbonization.

¹Fund holdings are subject to change at any time and are not recommendations to buy or sell any security.



Contents

04	Introduction
05	Waste management's contribution to sustainable development
06	Waste emissions in context
07	Regnan's Sustainable Value Assessment – climate transition
08	Carbon emissions footprint across the waste life cycle
09	Waste collection and sorting
11	Reuse and Recycling
12	Energy recovery
13	Landfilling
14	How can investors accelerate decarbonization of the waste management sector?
15	About Regnan

"

A cornerstone of sustainable development is the establishment of affordable, effective and truly sustainable waste management practices in developing countries – Intergovernmental Panel on Climate Change, 2007.



Introduction

As population, urbanization and consumption grow, so does waste generation and with it the need for sustainable waste management. While individuals and companies are becoming more waste conscious, waste remains an inevitable by-product of life. Even under fully circular economic models, that utilize eco-product design to avoid waste from the outset and optimize for reuse and recyclability, material integrity declines through repeated cycles such that there will always be some waste to manage. As a result, both now and in the future, waste solution providers play a critical role in helping communities and industries dispose of waste in the most environmentally responsible and cost-effective ways.

The costs of waste collection are significant. However, the costs of ignoring waste are potentially much greater. The World Bank compared estimates of economic cost of uncollected household waste that is burned, dumped, or discharged to waterways, with integrated waste management costs for South East Asia. It found that basic waste management systems (meeting good international hygiene standards) equated to US\$50–100 per metric tonne; far less than the economic cost of leaving waste untreated of US\$375 per metric tonne.

Research evidences the multiplier effect of sustainable waste management on better public health, safety and environmental outcomes, including through reducing greenhouse gas emissions, prevention of pollution, conservation of natural resources and provision of renewable energy.

Even basic waste management systems provide ~4x economic and significant environmental and social benefits.



Regnan's SDG Taxonomy

Drawing on the 17 United Nations Sustainable Development Goals (SDGs) and their 169 underlying targets, we have built a comprehensive proprietary framework – the Regnan SDG Taxonomy. Our taxonomy takes the most pressing global environmental and social problems and links them to the solutions sold by companies today. Below we map investible waste solutions to the SDG targets to which they most strongly contribute.

Waste management's contribution to sustainable development

Issue

Population arowth. rising standards of livina. industrialization and enhanced production and consumption of new products are together contributing to greater solid waste generation. The world generates 2 billion tonnes of municipal solid waste annually, with at least 33% of that not managed in an environmentally-safe manner. Issues relating to waste collection and removal are particularly acute in the developing world, where less than 50% of waste is collected in cities and only around 25% outside of urban areas.

The increasing volume and complexity of waste is creating a serious risk to ecosystems and human health, due to inadequate and ineffective waste management and disposal techniques. Poor waste management - ranging from non-existent collection systems to ineffective disposal - is a key contributor to significant air, water, marine and soil degradation. Moreover, unmanaged waste sites contribute to the contamination of drinking water and create breeding grounds for mosquitoes, resulting in poor health outcomes.

Solutions

Waste Collection

Effective waste collection and management infrastructure ensure materials are recycled and re-used, where possible, or safely disposed, supporting sustainable waste management. Management of hazardous waste is particularly important to reduce negative impacts on the environment via pollution and health of local populations.

Recycling and Reuse


Recycling and reuse is a core component of creating a closed loop system and optimizing global resource efficiency in consumption and production. By producing new products from recovered materials, recycling saves a significant amount of energy during manufacturing and end-of-life treatment, and also reduces the volume of virgin resource extraction and attendant impacts.

Energy Recovery

A complementary solution to renewables and fuel switching in pursuit of global decarbonization and sustainability goals, waste-to-energy plants involve burning of waste that could not be prevented or recycled. Generated energy that may replace energy sourced from fossil fuels. When compared to landfills, which release significant volumes of methane emissions, waste-to-energy can reduce GHG emissions. For example, Project Drawdown estimates approximately 2-3 gigatons of CO_2 can be reduced by waste-to-energy plants between 2020 and 2050.

Landfill Gas Capture

Effective management of landfills with gas collection systems can significantly reduce GHG emissions by, for example, capturing methane and recovering energy. Landfills which include liner, cover and leachate collection systems, environmental and post-closure plans - prevent degradation of water systems (from waste entering water streams) and air pollution.



nan

11

Waste emissions in context

While the broader sustainability credentials of effective waste management are readily acknowledged, there have been some lingering questions about the carbon footprint of waste management, which contributes about 3.3% of total global emissions, well below sectors such as agriculture, industrial processes, manufacturing and construction and buildings (see chart right).

Waste contributes ~3.3% of total global greenhouse gas emissions, with ~2% from landfills.

Although the largest contributor, not global decarbonization goals need every sector to achieve reductions and low carbon transition is a critical question to examine for every investment.

31.9% Electricity and heat 5.9% **Buildings** 3.0% Manufacturing and 12.6% construction 14.2% Transportation 2.7% International bunker

World greenhouse gas emissions in 2018

Total: 48.9 GtCO₂-e

Other fuel combustion 5.9% Fugitive emissions Industrial processes 5.9% Agriculture 11.9%

2.8% Land use change and forestry 3.3% Waste

Source: Greenhouse gas emissions on Climate Watch, www.climatewatchdata.org. Latest data available.



Regnan's Sustainable Value Assessment

Our in-house, proprietary ESG ratings approach – the Regnan Sustainable Value Assessment - considers climate transition as a core environmental factor.

We evaluate both the company's exposure to climate transition and how effectively it is responding – addressing risks and capturing opportunities. Key exposures and example responses are summarized in the table below.

Our approach benefits from over 15 years examining the link between ESG issues and investment outcomes and is supported by deep expertise in the team, expanded through thematic research and company engagement.



Climate Transition

Exposures

- Value chain carbon footprint
- Regulatory drivers including carbon price risk
- Changing customer preferences and expectations of stakeholders on GHG emissions

Company Response

- Integration of transition risks into strategic decision making processes
- Oversight of risks and responses by management and the board
- Targets and milestones set to support transition to a low carbon economy business model
- Transition risk management implementation and performance





Carbon emissions footprint across the waste life cycle

Emissions arise throughout the waste management value chain and over different time scales.


Waste collection contributes around 6-8% of emissions for an integrated waste management company involved across all life cycle stages. These emissions all occur in the year the collection occurs.

Landfills are the greatest share of the total emissions footprint: ~90% of total emissions for integrated waste management companies. These emissions are primarily from organic waste breaking down and releasing methane - a greenhouse gas that is ~28 times more

potent than carbon dioxide. This is a slow process, with current year emissions arising from waste deposited over many years.

There are interdependencies between waste management life cycle stages such that activities with low direct emissions rely upon high emissions activities elsewhere in the value chain. For example, collection is an important enabler of reuse, recycling, and composting key ways waste management emissions can be reduced.

GHG Emissions



In the following sections, we discuss in depth each key activity along the waste management life cycle, explaining:

- 1. What's involved in this part of the waste management cycle,
- 2. How the companies involved are currently seeking to reduce emissions, and
- 3. How investors in the sector can encourage companies to accelerate decarbonization and manage transition risks.

Activity 1: Waste collection and sorting

Waste collection and sorting is a critical component in the efficient reduction of GHG emissions in waste management, enabling reuse, recycling, composting, energy recovery and landfilling of waste. It is also essential to meet waste regulatory requirements in many jurisdictions.

From data collected from integrated waste management companies such as Waste Management Inc and Republic Services, the proportion of emissions from waste collection, primarily from fleet vehicles, is relatively small at around 6-8% of total emissions.

Uncollected waste, which is more commonplace in developing countries, is either open dumped or burnt. Extensive research evidence shows these have serious adverse climate and sustainability outcomes:

- Uncontrolled leakage of waste to the environment from open dumping leads to localized air pollution including GHGs; release of leachate into the soil; and pollution of groundwater, rivers, lakes and oceans.
- Open dumping encourages pests and spread of diseases, for example dengue, malaria and yellow fever.
- Open dumping of solid waste contaminated or mixed with hazardous waste, electrical and electronic equipment, and industrial waste can have significant adverse environmental and health implications for the local population including pollution from hazardous metals, such as mercury and lead.
- Uncontrolled open burning releases pollutants like black carbon, carbon monoxide and other hazardous gases, with adverse health outcomes for local populations. Studies also evidence that open burning results in higher GHG emissions than landfilling.



Activity 1: Waste collection and sorting

What are companies doing to reduce emissions in waste collection and sorting?

Emissions can be reduced by:

- Using lower emissions fuels. Compressed natural gas is lower emissions than diesel, especially if it is sourced from biogas;
- Using software to optimize collection routes; and
- Upgrading trucks to more fuel-efficient models.

Substantial improvements in emissions intensity can be gained with these measures, for example:

- Waste Management Inc. reduced emissions per 1,000 miles driven by 31% from 2010 to 2019.
- Republic Services reduced fleet emissions by 7.5% in 2020 by using renewable natural gas.

In addition, several waste companies are trialling fully electric vehicles, for example:

- Biffa introduced 27 electric vehicles in partnership with the Manchester City Council.
- **Cleanaway** is trialling electric vehicles in Adelaide.
- Republic Services is testing residential collection in North Carolina with electric vehicles.

Such trials are important to understand the feasibility and reliability of electric vehicles in this sector, given strong potential emissions savings especially if powered with zero emissions electricity. Advanced waste management companies also have ambitious targets to further increase electrification and efficiency, for example:

- Waste Management Inc. established a sciencebased target to reduce fleet emissions by 45% by 2038 (2010 baseline) with a milestone of converting 70% of the fleet to use compressed natural gas with 50% running on renewable natural gas;
- Biffa has established a target to introduce 10% of non-fossil-fueled collection vehicles by 2025, to cease purchase of new fossil fuel vehicles by 2030 and to have no fossil fuel vehicles by 2040.

GHG emissions from electric vehicles are between 59 and 63% smaller than the emissions of ICEVs under current electricity mixes, with potential to generate reductions of 95% if electric vehicles are fueled only by renewable technologies.

A 2021 feasibility study examined electric urban waste collection as a replacement to traditional internal combustion engine vehicles (ICEVs). By implementing a system simulation in Berlin, results showed that while transitioning towards a fully electric fleet corresponded to increases in costs of between 18 and 30%, GHG reductions between 60 to 90% are possible depending on the carbon footprint of the electric power source.



Activity 2: Reuse and Recycling



Reuse and recycling reduce GHG emissions by saving virgin materials and lowering the energy demand for production. Life cycle GHG emissions are usually lower in reused items when compared to those which have been recycled, unless materials must be transported over long distances.

Composting enables organic waste to be broken down aerobically, creating a product that can be used to improve soils. This can result in significant GHG emissions savings where it displaces synthetic fertilizer.

Recycling can yield substantial GHG benefits for materials that are energy intensive to produce such as steel, aluminum, and glass. For example:

- Recycled aluminum production requires only 10% of the energy required in primary production.
- Scrap-based electric arc furnace (EAF) steel production is around half as emissions intensive as production from EAFs using direct reduced iron, and one third as emissions intensive as steel produced from a blast furnace.

What are companies doing to reduce emissions in reuse and recycling?

Companies involved in recycling and reuse include specialists, such as **Copart**, **LKQ** and **Schnitzer**, and integrated waste management companies, such as **Waste Connections**, **Waste Management Inc.**, **Republic Services**, **Cleanaway Waste** and **Biffa**.

LKQ's operations include recycling operations in North America, recycling 90% of materials from "total loss" and end-of-life vehicles. LKQ operations include recovering salvageable parts to use in repair of other vehicles, fluids and tires which are recycled, repurposed or reused, and the sale of scrap metal to metals recycling companies. The table below shows some of the materials processed and recycled by LKQ with indicative net carbon emissions savings based on the US EPA's "Waste Reduction Model". The total of all the CO_2 savings set out below is equivalent to removing annual emissions from ~97,000 passenger vehicles.

Item	CO ₂ Emissions avoided metric tonnes of CO ₂ -eq		
Tires	2,300,000	10,944	
Materials Processed	Metric Tonnes		
Aluminum	32,000	209,709	
Copper	21,000	85,901	
Steel	64,300	108,049	
Total		~97,000 passenger vehicles' emissions pa	

North America's three largest integrated waste management companies – Waste Connections, Republic Services and Waste Management Inc. – all have comprehensive recycling and composting programs.

Waste Management Inc. is the largest post-consumer recycler in North America avoiding ~27 million $MtCO_2$ -e per year. In 2021, the company signaled doubling investment to \$200 million to augment its recycling capabilities and is now targeting to increase avoided emissions to ~35 million $MtCO_2$ -e per year by 2038.

Veolia's PROCYCLE service recycles difficult to recycle items such as crisp packets, sweet wrappers and plastic toys utilizing in-house expertise and network recyclers. This service provides a solution to maximize the recycling potential of hard-to-recycle plastics and avoid emissions.



Activity 3: Energy recovery



With room to landfill waste running out in some countries, energy recovery from waste incineration is expected to play an increasing role. In the European Union, waste incineration has increased from 36 million tonnes in 2000 to 60 million tonnes in 2019. There are some waste streams that can only be disposed of via incineration, like hazardous and contaminated materials.

Incineration of waste under controlled circumstances for the generation of energy has substantial GHG benefits compared to landfills according to the IPCC, emitting only around 1/10th equivalent GHGs and leading to more efficient energy extraction. Emissions savings are even greater where the use of this renewable energy displaces more emissions intensive sources like coal. Environmental performance can be improved by ensuring maximum reuse and recycling before energy recovery.

To demonstrate these benefits, assume just 1 of the 289 million metric tonnes of mixed municipal solid waste produced in North America in 2016 was combusted instead of being landfilled. Using the US EPA's WARM tool, we calculate a GHG benefit of 330,770 $MtCO_2$ -e. This is equivalent to removing 70,227 passenger vehicles off the road.

Waste incineration in the European Union has increased from 36 million tonnes in 2000 to 60 million tonnes in 2019.

What are companies doing to reduce emissions in energy recovery?

Biffa diverts 500,000 tonnes of waste which cannot be recycled away from landfills to energy recovery facilities. The company's facilities will have a combined capacity of 750,000 tonnes. The facilities will produce 90MW of energy, sufficient to power 170,000 homes in the United Kingdom.

Waste Management Inc. has a proprietary organics recycling process which collects food waste from restaurants, schools, food processing plants and grocery stores to produce a renewable biogas.

Clean Harbors' Safety-Kleen business addresses the priority to maximize reuse before energy recovery, diverting waste lubricant oils that would otherwise be burned for fuel. Re-refining used oil displaces crude oil production providing carbon benefits. The company estimates on a life cycle basis that 8 kilograms of GHGs are saved through re-refining one gallon of used motor oil, compared with one gallon of motor oil refined from crude oil. In 2019, the oil re-refining segment avoided over 1.8 million metric tons of CO_2 -e.



Activity 4: Landfilling



Improving landfilling processes and technologies offers the most opportunities to reduce GHG emissions, with state of the art operations able to reduce emissions by up to 90%.

Landfill emissions arise primarily from organic waste breaking down into methane – a GHG that is ~28 times more potent than carbon dioxide. We discuss the importance of methane management to addressing climate change in our **Regnan Radar: Methane**.


The volume of GHG emissions from landfill sites depend on how the site is operated; factors like whether it is an open dump or a controlled landfill, and the existence and type of gas collection system make a big difference. All of these factors can reduce the amount of methane and/or convert it to CO_2 . Emissions of CO_2 from municipal solid waste landfills are not considered to contribute to global climate change because the carbon was contained in recently living biomass and the same CO_2 would be emitted as a result of the natural decomposition of the organic waste materials outside the landfill environment.

What are companies doing to reduce emissions in landfilling?

Waste Management Inc. converts landfill gas into energy at 124 sites, the company had 92 projects generating 538 MW of renewable electricity. The company also converts landfill gas into natural gas which is then distributed for use in residential and business settings and use in commercial vehicles including the company's own - 40% of the company's natural gas trucks use company produced gas. The company's renewable natural gas facility in Ferris, Texas has been injecting pipeline quality gas into the Atmos Energy system since 2020.

Republic Services Group has 69 landfill gas to energy projects. With beneficial use of biogas at 72.3 billion standard cubic feet, and a target of increasing this to 110 billion standard cubic feet by 2030. Renewable natural gas (from biogas) produces 70% fewer emissions than diesel.

Waste Connections has gas collection at 50 sites, from 28 of these sites landfill gas generates electricity, fuels local industrial facilities or fuels vehicles, annually processing 28.5 billion standard cubic feet of gas (equivalent to power 289,000 homes). The company has a target to increase recovery to 37 billion cubic feet of gas by 2033.



Landfill gas collecting systems use vertical wells or horizontal capture systems. Field studies show over 90% of recovery can be achieved with final cover and an efficient gas extraction system.

BIOGAS



Converting landfill gas provides a renewable form of energy, while also converting methane to CO_2 and water.

The US EPA's Calculator states a 5 MW electricity generation project would save a total of ~225,900 tCO₂ eq/year, equivalent to carbon sequestered by ~1,325 km² of US forests in a year.

Source: Regnan, based on www.investor.republicservices.com and others



How can investors accelerate decarbonization of the waste management sector?

Given the interdependencies between waste management life cycle stages – with low emission activities dependent on high emissions activities elsewhere in the value chain – divestment can only shift high emissions activities out of portfolios; it does nothing to reduce the real world impact of waste management.

That's why we see engagement with waste management companies as the best way investors can contribute to the decarbonization of the waste sector.

Engagement is a central plank of our active stewardship

approach. Our engagements involve investment and subject matter experts from across Regnan. We set objectives for engagement in advance for individual companies, track progress, and transparently report to clients at least annually on the changes observed.

The table below sets out the key priorities we see for engagement with waste management companies on decarbonization. Applicability will depend on individual company circumstances and performance.

		The state	A 47	
	00-01			
Engagement Objective	Waste collection and sorting	Reuse and recycling	Energy recovery	Landfilling
Appropriate expertise, remuneration structures, capital allocation and governance in place to support effective decarbonization activities	~	\checkmark	\checkmark	\checkmark
Decarbonization goals are well supported by disclosed plans and interim targets	\checkmark	\checkmark	\checkmark	\checkmark
Piloting of EVs to set up initiatives for success/maximize decarbonization	\checkmark			
Calculation and disclosure of avoided and sequestered emissions uses appropriate and recognized methodologies with sufficient granularity to allow investors to monitor progress	~	\checkmark	\checkmark	\checkmark
Ambitious recycling/reuse targets		\checkmark		
Evidence of lifecycle or equivalent analysis for reuse and recycling initiatives for better decision making on most efficient use of resources/energy		\checkmark		
Prioritization of non-recyclable fossil-based waste for energy recovery		\checkmark	\checkmark	
Consideration of carbon capture for energy recovery plants			\checkmark	
Landfill covers and vertical/horizontal well systems are in place to capture landfill gas efficiently				\checkmark
Implementation of interim measures ahead of EV rollouts where appropriate (such increasing fuel efficiency, alternative fuel use, enhance route planning etc.)	~			
Customer/stakeholder feedback (on emissions) is actively sought to support effective stakeholder response and management	~	\checkmark		
Advanced technology is being used, for example in sorting (optical/smart) and refuse collection (smart trucks), to improve recycling capabilities	~	\checkmark		
Transparent participation in public policy	\checkmark	\checkmark	\checkmark	\checkmark

About Regnan

At Regnan we've been thinking forward and shaping the responsible investment movement since 1996 – long before it became mainstream.

2020 marked our expansion into funds management supported by the investment platform of J O Hambro and the Pendal Group. We've brought together proven sustainability and impact teams with track records tested through cycle, with the depth of insights provided by our engagement, advisory and research team.

Our collective purpose is to contribute to a more sustainable future by developing and promoting principled, rigorous and outcome-oriented approaches in responsible investment.

Client solutions sit at the heart of all that we do and are based on four key pillars:


- Delivering our clients attractive investment returns; we aim to grow their real wealth over the long term.
- Understand the materiality of sustainability issues to deliver improve decision-making and real world outcomes.
- Creating differentiated, innovative strategies that serve a purpose in client portfolios.
- Our strategies are authentic and provide significant exposure to underlying sustainability opportunities.

Regnan Global Equity Impact Solutions

The Regnan Global Equity Impact Solutions strategy is a solutions-first approach, focused on investing in mission-driven businesses that address underserved environmental and social challenges and deliver real, systematic change for the better. It is a high-conviction, global, multi-capitalization portfolio with low turnover and a strong emphasis on driving impact by engaging companies to improve measurable outcomes.

Regnan Sustainable Water and Waste

Our Thematic Investing team joined Regnan in April 2021 and launched the Regnan Sustainable Water and Waste Strategy in September 2021. Combining exposure to both water and waste-related companies makes this strategy a distinctive thematic investment proposition with diversification benefits.



Bibliography

Aderoju, O.M.; Dias, G.A.; Gonçalves, A.J. A GIS-based analysis for sanitary landfill sites in Abuja, Nigeria. Environ. Dev. Sustain. 2018, 1–24.

Al-Khatib, I.A.; Abu Hammad, A.; Sharkas, O.A.; Sato, C. Public concerns about and perceptions of solid waste dump sites and selection of sanitary landfill sites in the West Bank, Palestinian territory. Environ. Monit. Assess. 2015, 187, 186.

Amegah, A.K. and Agyei-Mensah, S., 2017. Urban air pollution in Sub-Saharan Africa: Time for action. Environmental Pollution, 220, pp.738-743.

Bogner, J., M. Abdelrafie Ahmed, C. Diaz, A. Faaij, Q. Gao, S. Hashimoto, K. Mareckova, R. Pipatti, T. Zhang, Waste Management, In Climate Change 2007: Mitigation. Contribution of Working Group III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [B. Metz, O.R. Davidson, P.R. Bosch, R. Dave, L.A. Meyer (eds)], Cambridge University Press, Cambridge, United Kingdom and New York, USA.

Chiemchaisri, C.; Juanga, J.P.; Visvanathan, C. Municipal solid waste management in Thailand and disposal emission inventory. Environ. Monit. Assess. 2007, 135, 13–20.

dos Muchangos, L.S.; Tokai, A.; Hanashima, A. Analyzing the structure of barriers to municipal solid waste management policy planning in Maputo city, Mozambique. Environ. Dev. 2015, 16, 76–89.

Ewert, R.; Grahle, A.;Martins-Turner, K.; Syré, A.M.; Nagel,K.; Göhlich, D. Electrification of Urban Waste Collection: Introducing a Simulation-Based Methodology for Technical Feasibility, Impact and Cost Analysis. World Electr. Veh. J. 2021, 12,122. https://doi.org/10.3390/wevj12030122

https://www.eia.gov/todayinenergy/detail.php?id=16211

https://www.epa.gov/Imop/basic-information-about-landfill-gas

Ferronato, N. and Torretta, V., 2019. Waste mismanagement in developing countries: A review of global issues. International journal of environmental research and public health, 16(6), p.1060.

Gebert, J. and A. Gröngröft, 2006: Passive landfill gas emission - influence of atmospheric pressure and implications for the operation of methaneoxidising biofilters. Waste Management, 26, pp. 245-251.

Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories

International Energy Agency, 2020, Iron and Steel Technology Roadmap https://www.iea.org/reports/iron-and-steel-technology-roadmap

IPCC Climate Change 2001: Mitigation https://archive.ipcc.ch/ipccreports/tar/wg3/index.php?idp=120

https://www.ipcc-nggip.iges.or.jp/public/gp/bgp/5_3_Waste_Incineration.pdf

https://cleanaway2stor.blob.core.windows.net/cleanaway2-blob-container/2021/09/Sustainability-Report-2021-2266810.pdf

https://investor.republicservices.com/static-files/73695b7a-a810-4ce2-8606-b5b13f885b74

https://investors.wm.com/static-files/f80c78f9-280a-4efa-aad2-1542cdcd4de2

Huber-Humer, M., 2004: Abatement of landfill methane emissions by microbial oxidation in biocovers made of compost. PhD Thesis, University of Natural Resources and Applied Life Sciences (BOKU), Vienna, 279

Kaza, Silpa, Lisa Yao, Perinaz Bhada-Tata, and Frank Van Woerden. 2018. What a Waste 2.0: A Global Snapshot of Solid Waste Management to 2050. World Bank: Urban Development Series.

Lestari, P. and Trihadiningrum, Y., 2019. The impact of improper solid waste management to plastic pollution in Indonesian coast and marine environment. Marine Pollution Bulletin, 149, p.110505.

Mkonda, M.Y. and He, X., 2017. The emerging population increase and its environmental challenges and remedies in Iringa municipal, Tanzania.

Monni, S., R. Pipatti, A. Lehtilä, I. Savolainen, and S. Syri, 2006: Global climate change mitigation scenarios for solid waste management. Espoo, Technical Research Centre of Finland. VTT Publications, No. 603, pp 51.

Seng, B.; Fujiwara, T.; Spoann, V. Households' knowledge, attitudes, and practices toward solid waste management in suburbs of Phnom Penh, Cambodia. Waste Manag. Res. 2018, 36, 993–1000.

Smith, A., K. Brown, S. Ogilvie, K. Rushton, and J. Bates, 2001: Waste management options and climate change. Final Report ED21158R4.1 to the European Commission, DG Environment, AEA Technology, Oxfordshire,

Song, Q. and Li, J., 2015. A review on human health consequences of metals exposure to e-waste in China. Environmental Pollution, 196, pp.450-461

Spokas, K., J. Bogner, J. Chanton, M. Morcet, C. Aran, C. Graff, Y. Moreau-le-Golvan, N. Bureau, and I. Hebe, 2006: Methane mass balance at three landfill sites: what is the efficiency of capture by gas collection systems? Waste Management, 26, pp. 516-525.

Streese, J., and R. Stegmann, 2005: Potentials and limitations of biofilters for methane oxidation. Proceedings of the Sardinia '05, International Waste Management and Landfill Symposium, October, 2005, CISA, University of Cagliari, Sardinia.

Thorneloe, S., K. Weitz, S. Nishtala, S. Yarkosky, and M. Zannes, 2002: The impact of municipal solid waste management on greenhouse gas emissions in the United States. Journal of the Air & Waste Management Association, 52, pp. 1000-1011.

Tuhkanen, S., R. Pipatti, K. Sipilä, and T. Mäkinen, 2001: The effect of new solid waste treatment systems on greenhouse gas emissions. In Greenhouse Gas Control Technologies. Proceeding of the Fifth International Conference on Greenhouse Gas Control Technologies (GHGT-5). D.J. Williams, R.A. Durie, P. Mcmullan, C.A.J. Paulson, and A.Y. Smith, (eds). Collingwood: CSIRO Publishing, pp. 1236-1241.

Vasanthi, P,Kaliappan, S. and Srinivasaraghavan, R., 2008. Impact of poor solid waste management on ground water. Environmental monitoring and assessment, 143(1), pp.227-238.

Disclaimer

THIS DOCUMENT IS FOR PROFESSIONAL INVESTORS ONLY.

Regnan is a standalone responsible investment business division of Pendal Group Limited (Pendal). Pendal is an Australian-listed investment manager and owner of the J O Hambro Capital Management Group. Regnan's focus is on delivering innovative solutions for sustainable and impact investment, leaning on over 20 years of experience at the frontier of responsible investment. "Regnan" is a registered trademark of Pendal.

The Regnan business consists of two distinct business lines. The investment management business is based in the United Kingdom and sits within J O Hambro Capital Management Limited, which is authorized and regulated by the Financial Conduct Authority and is registered as an investment adviser with the SEC. "Regnan" is a registered as a trading name of J O Hambro Capital Management Limited.

In addition to Regnan Investment teams is the Regnan Insight and Advisory Centre of Pendal Institutional Limited in Australia, which has a long history of providing engagement and advisory services on environmental, social and governance issues. While the Regnan investment management teams will often draw on services from and collaborate with the Regnan Insight and Advisory Centre, they remain independent of the Regnan Insight and Advisory Centre and are solely responsible for the investment management of their strategies.

Issued and approved in the UK by J O Hambro Capital Management Limited ("JOHCML") which is authorized and regulated by the Financial Conduct Authority. Registered office: Level 3, 1 St James's Market, London SW1Y 4AH. J O Hambro Capital Management Limited. Registered in England No:2176004.

Issued in the European Union by JOHCM Funds (Ireland) Limited ("JOHCMI") which is authorized by the Central Bank of Ireland. Registered office: Riverside One, Sir John Rogerson's Quay, Dublin 2, Ireland.

Regnan is a trading name of J O Hambro Capital Management Limited.

The registered mark J O Hambro[®] is owned by Barnham Broom Holdings Limited and is used under license. JOHCM[®] is a registered trademark of J O Hambro Capital Management Limited.

The information in this document does not constitute, or form part of, any offer to sell or issue, or any solicitation of an offer to purchase or subscribe for Funds described in this document; nor shall this document, or any part of it, or the fact of its distribution form the basis of, or be relied on, in connection with any contract.

Recipients of this document who intend to subscribe to any of the Funds are reminded that any such purchase may only be made solely on the basis of the information contained in the final prospectus, which may be different from the information contained in this document. No reliance may be placed for any purpose whatsoever on the information contained in this document or on the completeness, accuracy or fairness thereof.

No representation or warranty, express or implied, is made or given by or on behalf of the Firm or its partners or any other person as to the accuracy, completeness or fairness of the information or opinions contained in this document, and no responsibility or liability is accepted for any such information or opinions (but so that nothing in this paragraph shall exclude liability for any representation or warranty made fraudulently).

The distribution of this document in certain jurisdictions may be restricted by law; therefore, persons into whose possession this document comes should inform themselves about and observe any such restrictions. Any such distribution could result in a violation of the law of such jurisdictions.

The information contained in this presentation has been verified by the firm. It is possible that, from time to time, the fund manager may choose to vary self imposed guidelines contained in this presentation in which case some statements may no longer remain valid. We recommend that prospective investors request confirmation of such changes prior to investment. Notwithstanding, all investment restrictions contained in specific fund documentation such as prospectuses, supplements or placement memoranda or addenda thereto may be relied upon.

Investments fluctuate in value and may fall as well as rise and that investors may not get back the value of their original investment.

Past performance is not necessarily a guide to future performance.

Investors should note that there may be no recognized market for investments selected by the Investment Manager and it may, therefore, be difficult to deal in the investments or to obtain reliable information about their value or the extent of the risks to which they are exposed.

The Investment Manager may undertake investments on behalf of the Fund in countries other than the investors' own domicile. Investors should also note that changes in rates of exchange may cause the value of investments to go up or down.

The information contained herein including any expression of opinion is for information purposes only and is given on the understanding that it is not a recommendation.

Information on how JOHCM handles personal data which it receives can be found in the JOHCM Privacy Statement on our website: <u>www.johcm.com</u>